



PREMIUM



PRODUCTS

Fargo, ND

2022



TABLE OF CONTENTS

3-5	DuPont™ Tyvek® Building Envelope Solutions
6-9	Therma-Tru® Doors & PrismaGuard™
10	Frontline® Building Products
11	Aristokraft® Cabinetry, Woodland Cabinetry, Cabinetry by Diamond®, Cabinetry by Diamond®
12-15	Deckorators® Decking, Railing and Accessories
16-19	WindsorONE Trim & Molding
20	Versatex® Building Products
21	Tando™ Building Products
22-23	Regal Railing Systems
24-25	Treated Southern Yellow Pine
26	Laminated Veneer Lumber (LVL)
27	Branch Line Card / Lumber List





Tyvek®

Optimize the Building Envelope with DuPont™ Tyvek®

DuPont™ Building Envelope Products aren't just backed by a warranty for Builders, General Contractors, and Professional Installers. They're backed by a company that for over 200 years has been dedicated to providing sustainable solutions for a better, safer and healthier life for people everywhere.

Since everyone's needs are not the same, DuPont offers both a 10-Year Product Warranty as well as a 10-Year Product and Labor Warranty. This provides your customers the added assurance that the structures you build will help protect their valuable investment for years to come.

Whatever the job, our Specialists are industry-experts focused on solving any construction-related problem or need you may have.



Tyvek®

DrainWrap™

DuPont™ Tyvek® DrainWrap™ was engineered to meet the drainage needs of specific façades. It is recommended for use behind primed wood and fiber cement siding when maximum drainage is desired. DrainWrap™ is also an ideal solution when foam board is applied over flat substrates.



Tyvek®

StuccoWrap®

With a specially engineered surface texture designed for traditional and synthetic stucco systems in both commercial and residential construction, Tyvek® StuccoWrap™ helps reduce susceptibility to cracking, improves stucco curing and channels moisture out of the wall.



Tyvek®

Tape

Roll Sizes:

2"x55 Yards
3"x55 Yards



The crucial, final step for maximum reduction of air infiltration through wall systems is to help create a seamless, protective envelope sealed with Tyvek® Tape.

DuPont™ Tyvek® Weatherization Systems offers a 10-Year Limited Warranty, giving you the assurance that DuPont will stand behind its products. For more information contact 1-800-44-TYVEK

Flashing Products

Innovative flashing systems that work together to keep water out of the homes you build.

The range of DuPont™ flashing products are durable, tough, tear-resistant and deliver superior protection from water damage and perform through extreme temperatures (they can even handle prolonged exposure to UV light).

DuPont™ FlexWrap™, DuPont™ StraightFlash™ and DuPont™ Flashing Tape feature quick-release backing allowing for easy installation. And, the forgiving initial tack enables easy repositioning.



Your project can qualify for a 10-year limited product and labor warranty when you use a DuPont™ Tyvek® Weather Barrier, flashing products and tape.



DuPont™
FlexWrap™ NF

DuPont™ FlexWrap™ NF (No Fasteners) is a premium performance, extendable self-adhered flashing material that can be applied over a wide range of building substrates.

Sizes: 6"x75', 9"x15' & 9"x75'



DuPont™
Flashing Tape

DuPont™ Flashing Tape provides a cost-effective way to help protect the jambs and heads of today's residential windows from water intrusion.

Sizes: 4"x33', 4"x75', 6"x75', 9"x75' & 12"x75'



DuPont™
StraightFlash™

This durable flashing material is designed to protect the heads and jambs of rectangular windows. These areas can be subjected to wind-driven rain, which can find its way into the window opening and cause water damage.

Sizes: 4"x150' & 9"x125'



DuPont™
StraightFlash™ VF

DuPont™ StraightFlash™ VF (Versatile Flange) is dual-sided, self-adhered flashing made with DuPont™ Tyvek® and premium butyl sealant.

Sizes: 6"x25', 6"x125'



FlexWrap EZ



DuPont™ FlexWrap® EZ is a flexible, self-adhered tape designed with the purpose of helping create an air- and water-tight seal when installed around penetrations of all shapes and sizes. The wrap was created to be ideal for flashing around smaller electrical, HVAC, and plumbing penetrations as a fast and easy solution for improving energy efficiency and wall system durability.

FULL PRODUCT OFFERING

Wrap Products

DUPONT Tyvek HomeWrap.	Used behind most residential façades including brick, vinyl and fiber cement.
DUPONT Tyvek CommercialWrap.	Engineered for commercial construction and elevations in excess of 3 stories; anticipated exposure beyond 4 months but not to exceed 9 months.
DUPONT Tyvek CommercialWrap.D	Specially engineered surface texture that provides an enhanced drainage plane for wall systems and climates that may require additional drainage.
DUPONT Tyvek StuccoWrap.	Used behind traditional stucco applications and EIFS.
DUPONT Tyvek DrainWrap.	Creates a drainage plane behind lap siding including cedar and fiber cement.
DUPONT Tyvek ThermaWrap.	Provides an R-2 thermal resistance in brick applications or behind any façade where a minimal ¾" air space is maintained.
DUPONT Tyvek DrainVent. Rainscreen	A three-dimensional honeycomb-textured drainage mat that provides a flat surface for cladding, optimal compression resistance and channels for drainage and airflow.

Roofing

DUPONT Tyvek Protec.	A portfolio of engineered synthetic roofing underlayments with industry-leading walkability.
DUPONT Tyvek Roof Protector™	An engineered synthetic roofing underlayment with a high strength to weight ratio.

Tape Products

DuPont™ Tyvek Metalized Tape	Seals seams on DuPont™ Tyvek® ThermaWrap™
DUPONT Tyvek Tape	Used for taping seams on DuPont™ Tyvek® HomeWrap®, CommercialWrap®, StuccoWrap® and DrainWrap™

Flashing Products

DUPONT StraightFlash.	Premium protection of straight window jambs and heads.
DUPONT FlexWrap.EZ	Unique, flexible adhesive tape that creates an air-and water-tight seal when installed around penetrations of all different shapes and sizes.
DUPONT FlexWrap.	An extendable self-adhered flashing material that can be applied over a wide range of building substrates, including non-nailable sheathing materials.
DUPONT Flashing Tape	A self-adhered flashing tape to help create a seamless protective envelope around heads and jambs of rectangular windows and doors.
DUPONT StraightFlash.VF	Uniquely engineered for brick mould windows and doors.

Other Products

DUPONT Tyvek Wrap Caps	Used for fastening of DuPont™ Tyvek® HomeWrap®, CommercialWrap®, StuccoWrap®, DrainWrap™ and ThermaWrap™.
DuPont™ Residential Sealant	A durable, highly flexible sealant for window and door installations and general construction applications.
DuPont™ RainVent™ Batten	A durable, polypropylene batten that provides a ventilated rainscreen and drainage plane when used as part of DuPont Weatherization System.
GREAT STUFF PRO	A durable, air tight, moisture resistant low expansion foam which helps to protect from air and water infiltration when used as part of DuPont Weatherization System.



DUPONT WEATHERIZATION SYSTEM
10-YEAR
PRODUCT & LABOR WARRANTY



Quality you can trust from
the #1 entry door.

MORE THAN 60 YEARS Curb Appeal because beautiful homes deserve beautiful entryways.

20+ YEARS as Brand Used Most by more building professionals than any other entry door brand.*

TOTAL CONFIDENCE In Our Lifetime Limited Warranty, the most comprehensive of its kind, covering doors, glass and components.

COMPLETE Door System with components engineered to work together at the most critical points.

WIDE ARRAY of Glass Designs handcrafted to reflect home design trends and homeowner desires.

THOUSANDS of Door Styles for virtually any home style at a range of price points.

VARIETY of Interactive Tools available to help you visualize the perfect door for your home.

UNLIMITED Curb Appeal because beautiful homes deserve beautiful entryways.

You're in
expert hands.

THERMA-TRU®
DOORS

Choosing a Therma-Tru® door means designing an inspired entrance with the confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers a selection to complement the architecture of any home and a homeowner's sense of style.

With a complete door system engineered with craftsman precision and backed by more than 60 years of industry experience, you can be confident that it will perform as exceptionally as it looks.

That's where the beauty of choosing Therma-Tru begins.

The fiberglass difference.

With very little maintenance, a fiberglass door can bring a home years of beauty, durability and energy efficiency. Therma-Tru® fiberglass doors offer the authentic look of wood. But, unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust. Built with a polyurethane foam core, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.

Learn more at thermatru.com/choosefiberglass.

The look of real wood.

Realistic wood grains that are virtually indistinguishable from high-grade wood doors, thanks to Therma-Tru's AccuGrain® technology.



The Importance of Curb Appeal.

A stylish new front entryway can help convey your personal style and highlight your home's overall architectural style and curb appeal. For more information and inspiration visit thermatru.com/curbappeal.



Fresh look. Increased value.

In a recent survey, real estate agents were shown images of various homes, including some that had been modified with a new Therma-Tru door, and asked to estimate the value of the home. While results varied, the survey suggests choosing a Therma-Tru door that complements the home's architecture could **add up to 7% to the perceived value** of a remodeled home.*

That's a potential increase of up to \$21,000 on a \$300,000 home for a project that can be done in a single day.



*Not a guarantee of investment returns, increase in value or selling price. See 2021 Therma-Tru National Home Valuation Study surveying real estate agents about perceived remodeled home value estimates based on exterior appearance. Not based on actual home sales data. Results may vary based on region, door style and home style. Study was commissioned by Therma-Tru and conducted by the Farnsworth Group, an independent research provider.

Engineered to work together.

Therma-Tru specifies all of the components to work together at the most critical points where an ordinary door system's performance can fail, letting in air and moisture.

By forming a tight seal against drafts and leaks, these components can help protect the door system and home against costly damage and deterioration.

- 1 Sill
 - 2 Bottom Sweep
 - 3 Corner Seal Pads
 - 4 Hinges
 - 5 Weatherstrip
 - 6 Multi-Point Locking System
 - 7 Glass Options
 - 8 Composite Door Frame
 - 9 PrismaGuard® Finish – Paint or Stain
- See your Therma-Tru seller for details on product availability.

Learn more about our system components at: thermatru.com/components.











Backed by our lifetime limited warranty.



We can stand behind more parts and for longer than most other door companies because we make or specify everything that goes into our door systems. The homeowner has one source, Therma-Tru, to turn to if an issue arises with the door system.¹ Other companies either don't warrant as many parts of the door system or warrant them for a shorter period of time. That could leave the homeowner without coverage and confused about who to turn to if issues arise.

Warranty Coverage

								
	Door Panel	Glass & Lite Frame	Multi-Point Locking Mechanism ²	Sill & Hinges ²	Corner Seal Pads ³	Bottom Sweep ³ & Weatherstrip ³	Composite Door Frame*	Storm Door System
Therma-Tru. Classic Craft. 1x Transferable Lifetime Limited Warranty	LIFETIME 1x Transferable	LIFETIME 1x Transferable	LIFETIME 1x Transferable	LIFETIME 1x Transferable	LIFETIME 1x Transferable	LIFETIME 1x Transferable	LIFETIME 1x Transferable	LIFETIME 1x Transferable
Therma-Tru. Fiberglass Doors Lifetime Limited Warranty	LIFETIME	LIFETIME	LIFETIME	LIFETIME	LIFETIME	LIFETIME	LIFETIME + 10-Year Transferable Warranty Rider	LIFETIME

¹Excluding improper assembly of components into a door system by the distributor, dealer, builder or remodeler, and the installation of the door system.

²Excluding installations within 5 miles of a body of salt water and the finish.


³Excluding normal wear and tear.

*See your Therma-Tru seller for details on product availability.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products.




Stain Options (Shown in Fir Grain)



Stain Options

Standard Paint Options

Custom paint color matching is available. Please consult with Therma Tru dealer for more information.



Exterior Cladding



- Continuous Head and Sill Mull System
- Variety of Colors; Stocked in White, Almond, Beige, Sandstone, Terratone, Bahama Brown, Bronze, Black, and Green
- 4-9/16" to 11-1/2" jamb widths
- .062 gauge aluminum
- Standard Crownline Moulding; Brickmould options
- Heavy duty – resists denting
- No painting
- Limited Lifetime Warranty
- Storm-door ready

Patio Frame Cladding



- Pre-Clad 4-9/16" jamb with new integrated screen track on crownline nosing.
- Pre-clad 6-9/16" jamb with new integrated screen track and standard crownline nosing. 2-1/2" x 4-3/8" LVL-reinforced mull post with extruded aluminum cover for long-lasting durability and strength
- Cut and machined to each fabricator's specifications
- Heavy-duty extruded screen with fiberglass mesh
- Rigid folding aluminum nail fin
- Five colors: White, Sandstone, Black, Bronze and Almond
- TRU-LOC™ Installation Anchors (Box of 8)
- LIMITED LIFETIME WARRANTY

Garage Cladding



- 100% aluminum frame and corner gussets .062 (16 gauge) extruded aluminum
- No wood means no rot, no water-wicking, no warping, and no bug infestation
- Perfectly mitered corners
- Available with 90° square or 45° clipped corners
- Optional 1x4 casing
- Optional J-Mould casing
- Available in 10 colors
- Easy installation
- LIMITED LIFETIME WARRANTY

Aristokraft[®]

CABINETY

Aristokraft Cabinetry has been creating quality cabinets with an eye on affordability since 1954. Their products feature state-of-the-art finishes, easy-clean interiors and dependable hardware - all with great style in mind. Aristokraft offers a huge selection of styles, profiles, finishes, and colors plus has a wide range of accessories that pull it all together.



WOODLAND CABINETY

AFFORDABLE CUSTOM

Woodland Cabinetry quality is at the heart of every cabinet Woodland creates. A custom approach combined with the use of the finest quality materials and pride in craftsmanship, offers assurance that live up to quality expectations. All Woodland finishes are hand applied to achieve the finest handcrafted look. Choose from an extensive line of on-trend styles, fit and finishes.



cabinetry by Diamond[®]

Cabinetry by Diamond[®] designer-inspired colors, organization, innovation and superior durability help transform bland into beautiful, and bring order and comfort to modern living. Choose from multiple door styles, profiles, finishes, colors and accents like decorative glass or lighting to build a more personalized space.




















CABINETY BY Decorá[®]

Cabinetry by Decorá offers a broad, beautiful palette of colors representing an entire spectrum of wood tones and glazes that echo trends from around the world. Style sights are set on the long term appeal, quality and performance. Available in a wide array of door styles, profiles, finishes, colors and accessories to create the perfect kitchen, bath or statement office or closet.



DECKING REFERENCE CHART

	WOOD PLASTIC COMPOSITE (WPC)		MINERAL-BASED COMPOSITE (MBC)							
	TRAILHEAD	VISTA	VAULT	VOYAGE				PICTURE FRAME		
PROFILE										
WIDTH	5½"	5½"	5½"	3½"	5½"	7¼"	9¼"	3½"	5½"	7¼"
GRAIN / PATTERN	Natural Grain	Vertical Grain	Flat Grain	Vertical Grain				Solid Color		
 STRUCTURAL	25-Year	25-Year	50-Year	50-Year				50-Year		
 STAIN & FADE	25-Year	25-Year	25-Year	25-Year				25-Year		
 REMOVAL & REPLACEMENT	25-Year	25-Year	25-Year	25-Year				25-Year		
 LOW THERMAL MOVEMENT			Virtually Zero	Virtually Zero				Virtually Zero		
 LIGHTWEIGHT			35% Lighter*	35% Lighter*				35% Lighter*		
 WATER & GROUND			Yes	Yes				Yes		
 ENHANCED TRACTION				34% or greater traction**						
21' LENGTH								Available in 21' length		

* Nearly 35% lighter than traditional composites and similar in weight to PVC

** Voyage provides 34% or greater surface traction than other leading brands of composite decking

SOME ITEMS AVAILABLE BY SPECIAL ORDER ONLY. SEE FOLLOWING PAGES FOR STOCKED SKUS

11¼" VOYAGE STEP TREADS NEW




- Features enhanced traction in 2 colors - Tundra and Khaya
- 12' length; solid profile only


25
STAIN & FADE
25
YEAR
STRUCTURAL
25
YEAR
REMOVAL
REPLACEMENT
LIMITED
WARRANTY

WOOD PLASTIC COMPOSITE (WPC)

Scratch-resistant polyethylene cap with a strong, dense composite core



Capped on three sides through the groove



TRAILHEAD



- 12', 16' and 20' lengths
- Natural embossing with rugged undertones
- 11-1/4" fascia available in 12' length



5 1/2"




STOCKING LIST

Style	Length	Width	Ridgeline	Pathway	Canyon
Slotted / Solid	12'	5-1/2"	•	•	•
Slotted / Solid	16'	5-1/2"	•	•	•
Slotted / Solid	20'	5-1/2"	•	•	•
Fascia	12'	11-1/4"	•	•	•

VISTA



- The look of exotic hardwoods
- 12', 16' and 20' lengths; solid- & grooved-edge
- 8" and 11-1/4" fascia available in 12' lengths



5 1/2"



STOCKING LIST

Style	Length	Width	Driftwood	Silverwood	Ironwood	Dunewood
Slotted / Solid	12'	5-1/2"	•	•	•	•
Slotted / Solid	16'	5-1/2"	•	•	•	•
Slotted / Solid	20'	5-1/2"	•	•	•	•
Riser	12'	8"	•	•	•	•
Fascia	12'	11-1/4"	•	•	•	•

50
STRUCTURAL
YEAR

25
STAIN & FADE
YEAR

25
REMOVAL &
REPLACEMENT
YEAR

**LIMITED
WARRANTY**



Virtually no thermal expansion or contraction

Nearly 35% lighter than traditional composites and similar in weight to PVC

Warranted for installation in or in contact with the ground or water


MINERAL-BASED COMPOSITE (MPC)

MBC decking features patented Eovations™ technology
Learn more here: <http://deckorators.com/mbc>


VAULT SPECIAL ORDER



- Flat-grain appearance
- 12' length in grooved-edge only
- 16' & 20' lengths; solid & grooved edge
- 8" & 11-1/4" fascia in 12' lengths



5 1/2"



DUSK



MESQUITE

PICTURE FRAME BOARD




- Pairs well with all Deckorators decking
- 21' Length
- 8" & 11-1/4" fascia in 12' lengths



3 1/2"



5 1/2"



7 1/4"




DARK SLATE

STOCKING LIST

Style	Length	Width	Dark Slate
Solid	21'	5-1/2"	•
Solid	21'	7-1/4"	•
Solid	21'	11-1/4"	•


VOYAGE



SIERRA



TUNDRA



MESA



COSTA



KHAYA



SEDONA



3 1/2"



5 1/2"



7 1/4"



9 1/4"

- Vertical grain with enhanced traction
- 12' length in grooved-edge only
- 16' & 20' lengths; solid- & grooved edge
- 8" & 11-1/4" fascia available in 12' lengths
- 11-1/4" step treads available in Tundra and Khaya



STOCKING LIST

Style	Length	Width	Sierra	Tundra	Mesa	Costa	Khaya	Sedona
Slotted	12'	5-1/2"	•	•	•	•	•	•
Slotted / Solid	16'	5-1/2"	•	•	•	•	•	•
Slotted / Solid	20'	5-1/2"	•	•	•	•	•	•
Riser	12'	8"	•	•	•	•	•	•
Fascia	12'	11-1/4"	•	•	•	•	•	•

ALX CONTEMPORARY RAILING

Pre-assembled Aluminum Railing

- Welded panels for strength and ease of installation
- 6' and 8' adjustable stair rail panels
- 2½" post kits now feature leveling plate.
- 2-piece trim also available.
- Square balusters




STOCKING LIST

Style	Length	Color	Style	Height	Color
Line Rail	6'	Textured Black	Posts	2-½" x 2-½" x 39"	Textured Black
Line Rail	8'	Textured Black	Posts	2-½" x 2-½" x 49"	Textured Black
Stair Rail	6'	Textured Black			



TEXTURED WHITE
WEATHERED BROWN
BRONZE
SPECIAL ORDER ONLY



PORCH FLOOR

SPECIAL ORDER

Low-maintenance porch flooring with mineral-based composite Eovations technology

- Tongue-and-groove profile – 3-1/8" x 7/8" x 10', 12' and 16'
- Solid profile – 3-1/2" x 7/8" x 12'
- Delivers the industry's best strength-to-weight ratio
- Can be installed in or in contact with the ground or water
- Stain- and fade-resistant cap stock
- Industry's best warranty: 50-year Structural, 25-year Stain & Fade and 25-year Removal & Replacement



Warranted for
installation in or in
contact with the
ground or water



FASTENERS

DecXorators® deck fasteners make it easier than ever to complete an outdoor project. The Stowaway™ Hidden Fastener discreetly secures deck boards to joists with a single stainless steel, color-matched screw. Our Pro Fastening Systems provide the fastest, easiest way to hide deck screw heads on stairs, perimeter boards, fascia boards or when replacing a deck board.



Fastener Color Chart

Hickory, Costa	#31 Tan Gray
Prairie, Mesa	#34 Brown
Silverwood, Summit	#37 Gray
Ridgeline Smokehouse, Ridgeway, Dusk, Sierra	#53 Dark Gray
Tundra	#54 Warm Gray
Driftwood, Smokehouse	#55 Dark Slate
Sandalwood, Cedar, Driftwood	#63 Buckskin
Cinderhouse, Mesquite	#65 Rosy Brown
Pathway, Ironwood, Riverhouse, Khaya	#71 Chocolate
Woodland, Canyon	#73 Java
Milled Maple	#64 Sand

DON'T FORGET OTHER RAILINGS & ACCESSORIES





SUPERIOR

*Straightness
Precision
Finger Joints
Prime Coat*



**CRAFTSMANSHIP
PAYS**

Have you ever picked up a 16ft or 20ft board and stared down it? Often you'll notice twisting and cupping on a longer board. Not the case with WindsorONE Trim Boards; superior finger jointing and edge gluing ensure you get one of the most straight, tight and true trim boards on the market.

*The straightest
boards in up to 20' lengths*

*No finger joints
on face of board*

*Kiln dried,
edge-glued;
brings distortion
to a minimum*

100% real wood

2 TYPES OF BOARDS

Check the Ink Stamp to tell the difference



ALL WindsorONE BOARDS ARE STRAIGHT TIGHT & TRUE

Boards are made of real wood, finger jointed and coated with three coats of acrylic latex primer. WindsorONE Traditional Boards can be used for both interior and exterior use. The back of all WindsorONE Traditional boards contain an ink stamp ("WindsorONE Traditional") to be easily identified.

WindsorONE Traditional 0244 W
1128 F3 MANUFACTURED IN THE USA



30 YEAR WARRANTY* PROTECTS AGAINST ROT, INSECTS AND MOLD

Boards are made of real wood, finger jointed and coated with three coats of acrylic latex primer. All boards are protected with a 30 year warranty against rot, insects & mold. WindsorONE Protected Boards can be used for both interior and exterior use. The back of all WindsorONE Protected boards contain an ink stamp ("WindsorONE Protected") to be easily identified.

WindsorONE+Protected 1024 W
0623 F3 MANUFACTURED IN THE USA

**Warranty based on proper installation. | Questions on Protected vs. Traditional? Call 888.229.7900*


STOCKING INVENTORY

Stocking products featured in red.

PROTECTED S4SSE

TRIM BOARDS
smooth surface four sides

nominal sizes | 16'



PROTECTED EXT. MOLDINGS

W1-618	1 1/16" x 1 1/2"
W1-381K	1 1/4" x 2"
W1-381	1 1/4" x 2"
W1-516	3/32" x 1 5/8"
W1-640	1 3/8" x 7 1/4"
W1-630	1 7/16" x 2 1/8"
W1-634	1 7/16" x 3 1/4"

PROTECTED SHIPLAP**


WORS6	3/4" x 5 1/2"
WORS8	3/4" x 7 1/4"

**Not to be confused with WindsorONE Pre-gapped Nickel Gap Boards, see opp. pg.

PROTECTED S1S2E

TRIM BOARDS
reversible rough sawn on one side,
smooth on others with eased edges

nominal sizes | 16' 20'



PROTECTED TONGUE & GROOVE

SPBC4	3/16" x 3 5/16"
SPBC6	2 3/32" x 5 1/2"
SPBC8	2 3/32" x 7 1/4"
WOB6	3/4" x 5 3/8"
WOTG	2 3/32" x 5 1/2"
230	1 1/16" x 7 1/2"
plantation	3/4" x 5 1/2"



10 THINGS ABOUT

WINDSORONE
PROTECTED BOARDS



1 PROTECTED TO THE CORE; FULL PENETRATION

Because unlike the other guys, we're assuming you'll actually want to cut the material at some point.



2 PROTECTED AGAINST ROT, INSECTS & MOLD

Does *not* protect against your mother-in-law, hangovers, airport security, etc.



3 DURABLE FOR EXTERIOR & SAFE FOR INTERIOR

Gold Indoor Air Quality Rating, low VOC's and California Hippie Approved.



4 WEATHER RESISTANT SYSTEM (WRS™)

Water is for drinking, not trim boards.



5 MINIMIZES THE NATURAL TENDENCY TO DISTORT

Unlike the explanation your 16 yr old told you about how the family car ended up in the pond out on Rte 1.



6 NO KNOTS; YOUR BOARDS ARE ALWAYS CLEAR

Imagine that, you can actually use every foot you pay for.



7 PROTECTION NOT DIMINISHED

By shaping, planing, sanding, fastening or molding (actual use does not void the warranty).



8 THE CUT SURFACES ONLY NEED PRIMING

No need to also apply special protection (we took care of that for you).



9 BACKED BY A 30-YEAR LIMITED* WARRANTY

The "limitation" is you have to install it correctly (for one example see #8 again).



10 BUILD AMERICA: MANUFACTURED IN THE U.S.A.

Because everything else you bought was made in China.

INSTALLATION REMINDERS*



PRIME ALL CUTS!

MOISTURE CONTROL¹: Acclimate to the environment. For interior trim, store inside the structure until the products reach approx 8% moisture content. For exterior trim, store in locations such as a garage that is not heated & is well ventilated until about 14% moisture content. Do not install exterior trim boards with a moisture content over 18%. ¹see www.windsorone.com/moisturecontrol



KEEP MATERIAL COVERED: Store on stringers and out of the weather.



INSTALL 6" ABOVE GRADE: Trim should be installed always at least 6" from ground.

INSTALL 2" ABOVE ROOF: 2" breaks are crucial on the roof and flat surfaces (porches, decks, etc).

1/4" FROM FLASHING: Flashing is imperative; and always maintain a 1/4" gap for a capillary break.



*SEE FULL INSTALLATION INSTRUCTIONS. WindsorONE should be stored, installed, handled & maintained correctly for the best performance. For complete installation guidelines & the WindsorONE Protected warranty, visit WindsorONE.com/install or call 888.229.7900.



WINDSORONE
TRADITIONAL BOARDS



Stocking
products
in red.

TRADITIONAL S4SSE TRIM BOARDS

smooth surface four sides

nominal sizes | 16'

- ▮ **1x2**
- ▮ 1x3
- ▮ 1x4
- ▮ 1x5
- ▮ 1x6
- ▮ 1x8
- ▮ 1x10
- ▮ 1x12
- ▮ 3/4 x 3
- ▮ 3/4 x 4
- ▮ 3/4 x 5
- ▮ 3/4 x 6
- ▮ 3/4 x 8
- ▮ 3/4 x 10
- ▮ 3/4 x 12



BUILD AMERICA

Manufactured in the U.S.A.,
craftsmanship from
Willits, CA & Surry, VA.



HEALTH STARTS AT HOME

Gold Indoor Air Quality Rating
with a 30 yr warranty against
rot, insects and mold.



CRAFTSMANSHIP PAYS

Show off the detail work on
your projects and generate
more referrals.

TRADITIONAL TONGUE & GROOVE

- SPBC4 1/16" x 3 5/16"
- SPBC6 23/32" x 5 1/2"
- SPBC8 23/32" x 7 1/4"
- WOBC6 3/4" x 5 3/8"
- WOTG 23/32" x 5 1/2"

TRADITIONAL MOLDINGS

CASINGS

- WOC001 3/4" x 5 1/2"
- ▮ **WOC003 3/4" x 4 1/4"**
- WOC005 1 1/16" x 4 3/8"
- ▮ **WOC007 3/4" x 3 1/2"**

CROWNS

- WOCM001 3/4" x 3 13/32"
- WOCM004 1 1/16" x 4"
- WOCM005 3/4" x 4 1/16"
- ▮ **WOCM006 3/4" x 4 1/16"**

DETAIL

- WOSP001 7/8" x 1 1/4"
- ▮ **WOPM004 3/4" x 1 3/4"**
- ▮ **WOST001 7/16" x 1 1/16"**
- WOST004 1/2" x 1 7/8"
- WOCV001 3/4" x 7/8"
- ▮ **WOBS001 1/2" x 3/4"**
- WOBB001 7/8" x 1 3/4"
- WOBB002 3/4" x 3/4"

APRONS

- ▮ **WOC004 3/4" x 3 1/16"**
- WOC006 3/4" x 3 1/16"
- WOC007 3/4" x 3 1/2"

STOOLS

- WOWS001 1 1/16" x 4 1/2"
- WOWS002 1 1/16" x 4 1/4"

CAPS

- ▮ **WOHC001 1 5/16" x 2 1/4"**
- WOWC002 1 1/8" x 3"
- WOWC003 1 3/8" x 1 3/4"
- WOWC006 1 5/8" x 2 5/8"

BASES

- ▮ **WOBM001 1 3/16" x 7 1/4"**
- WOBM002 3/4" x 5 1/2"
- ▮ **WOBM003 3/4" x 7 1/4"**
- ▮ **WOBM004 3/4" x 7 1/4"**
- ▮ **WOPB001 1 3/8" x 8"**

SPECIALTY

- WOCH001 1 5/8" x 2 1/4"
- WOCM002 3/4" x 4 5/16"
- WOCM003 1 5/8" x 4"

TRADITIONAL BEADED CASING

- WOC007 3/4" x 3 1/2"
- WOC008 3/4" x 4 1/4"
- WOC009 3/4" x 5 1/4"
- WOC010 3/4" x 3 1/2"

TRADITIONAL NICKEL GAP

- ▮ **WOSN6 3/4" x 5 1/2"**
- ▮ **WOSN8 3/4" x 7 1/4"**

**Not to be confused with WindsorONE
Shiplap Boards, see opp. page*

NEED SOMETHING THAT'S NOT STOCKED? ASK US. Rapid shipment from another Parksite location is possible! Contact your Parksite Rep for more info.

VERSATEX®

TRIM BOARD

WHY VERSATEX?

Because VERSATEX is created from cellular PVC, it is moisture and insect resistant while still featuring the real cedar look and woodworking characteristics a fine builder or craftsman desires. The result is a product limited only by your imagination. VERSATEX is an ideal solution for moisture sensitive areas, including those along coastal zones or regions affected by salt and high humidity. Most of the problems associated with wood trims are eliminated with VERSATEX. No more warping, cupping, or splitting — just a Trimboard with high aesthetic value backed by a lifetime warranty.



Canvas Series

The **Canvas Series** is the newest innovation in cellular PVC trim. Add contrast to your next project's porch ceiling or soffit, add a feature wall, or just let your imagination guide you. With the Canvas Series, VERSATEX delivers the rich look of hardwood along with maintenance-free convenience.



Also Available

Sheet



VERSATEX features the most comprehensive sheet stock available, ranging from as thin as 1/4" to a full 1-1/2".

Corners



When searching for "rabbited" corners, make sure it's STEALTH from VERSATEX for a perfect install every time.

Beadboard



With the widest range of Tongue-and-Groove beaded profiles in the industry, no one gives you more options than VERSATEX.

Stealth




From corners to window trims to skirtboards, no one has more options or higher quality than VERSATEX.

Versawrap



Now, instead of fitting together four individual pieces of cellular PVC in the field, you can wrap smarter, with VERSAWRAP one-piece column wraps.

Soffit System



The Soffit is available in solid or vented form. VERSATEX offers the only vented PVC Soffit System in the industry.

Mouldings



VERSATEX low gloss matte finished mouldings are a great way to add detailed beauty to any job. Our moulding line features 28 popular profiles.



Tando is revolutionizing exterior products by marrying form and function in an unprecedented way. Finally, quality and aesthetics can live as one. Whether you use Tando in conjunction with other exterior materials like natural wood, fiber cement, stucco or vinyl - or you use it exclusively - Tando always delivers: unmatched realism, unlimited creativity and unequaled moisture management.



TandoShake™



Shake profiles in a range of textures, colors and architectural styles so real, you'll want to touch them.

- Easier to install and more workable than other options.
- TandoShake puts the power of choice and creativity back into the hands of the professional installer.
- Proprietary technology & processes that deliver a look and feel so real, you'll want to touch it.
- Proprietary technology for unparalleled durability

Changing the conversation around exteriors.

The ante has been raised regarding building exteriors, so Tando has raised the bar on exterior cladding. Tando was created to:



Low Maintenance

Meet the consumer's need for low maintenance exteriors but without having to compromise on the natural beauty and realism of authentic cedar and stone.



Mixed Materials

Leverage the installer's creativity and desire to turn ordinary walls into breathtaking mixed material exteriors.




Moisture Management

Address and mitigate concerns around moisture management.



TandoStone™



Stone profiles that deliver a look and feel that is as real as it gets.

- Lighter and more workable than stone and stone veneer.
- Proprietary technology and processes that deliver a look and feel that is "as real as it gets."
- Provides pro-installers with a platform to deliver creative and visually arresting exteriors using conventional tools.
- Proprietary technology for unparalleled durability that enhances longevity and brilliance.
- Quick and easy one-person installation.
- Eco-friendly; consumes less fuel for shipping while accruing less installation waste.

Regal ideas

Aluminum Deck Railing

Regal ideas components and parts are made of 100% pure high strength aluminum with a premium UV powder coat finish and engineered with the homeowner's safety and satisfaction at the forefront. Plus, Regal ideas products are the easiest systems on the market to install.



Regal Aluminum Deck Railing

Made from 100% pure high strength aluminum and baked with a premium UV powder coat finish coated finish, Regal ideas patented Locking System allows pickets to be quickly installed without the use of bottom rail supports and fasteners.



- Easy to install 3/4" pickets
- Picket Options: Wide, Narrow, Decorative
- Tempered glass panel options
- Post Heights: 36", 42", 60"
- Constructed of high strength, never-rust, aluminum alloys
- 20-year limited warranty
- Premium UV powder coat finish provides maximum durability and low maintenance
- Meets and exceeds building code specifications in U.S. and Canada
- Approved for use up to 12 stories.



Regal LED System


Create that perfect outdoor living sanctuary and make your deck come alive with Regal ideas LED lighting System, with energy-efficient LED technology! Compatible with Regal ideas pickets and tempered glass systems.



- Exterior moisture resistant, low voltage lighting system
- 36", 42", 60" high picket and glass system applications
- 3 color and brightness settings (white, gold, blue)
- Each control pack can run up to 60ft (10 strips) of LED lighting
- LED lighting is UL/CSA certified
- Easy to install, no splicing wires or direct hard wiring required. Just plug-and-play.
- Remote control included

Crystal Rail

The stunning clarity of Regal ideas White "No Iron" Tempered Glass panels make it the obvious choice for homeowners that want a pure unobstructed view.



- Glass mounting brackets include pre-installed LED's that light up your glass panels at night
- 10mm No-Iron Tempered Glass panels provide strength, safety and clarity that you have never experienced before
- White NO-Iron Tempered Glass Panels available in various sizes
- Each control pack can run up to 40 glass mounts (20 sections of glass)
- Conforms to code specifications in U.S. and Canada
- LED lighting is UL/CSA certified
- Easy to install, no splicing wires or direct hard wiring required. Just PLUG-AND-PLAY
- Remote control included



- Quick and Easy Installation.
- Available in White and Black
- 8ft Pre-Assembled Panels.
- 6ft Component System.
- Patented Rail Lock System.
- 20 Year Limited Warranty.
- Meets and Exceeds Building Codes.
- Premium Powder Coat Finish.
- Code Compliant for Residential, Multi-Family and Commercial



Parksite **Treated** Southern Pine

Our Southern Pine is treated with Wolmanized® Outdoor® Wood preservatives, most advanced copper azole system on the market. This formulation incorporates patented technology that provides enhanced protection against decay organisms, including copper-tolerant fungi, and a deeper and more consistent penetration of preservative in the wood. Brown Cedartone® Color Technology can also be added during the treatment process to provide warm and rich tones that slowly weather to a neutral silver gray over time.



High-quality material



Easily repaired if scratched



Preserved to last for decades



Built-in resistance to the elements




Economical




Easy to Work



Great appearance with high strength



Deck, railing, and walkways



Agricultural and industrial



Building foundations



Above ground projects

Upgrade your SYP with **Brown Cedartone®** Color Technology



Cedartone colorant takes our treated lumber to the next level! Not only do you get all the benefits of our treated SYP, you also get the added benefit of rich color along with enduring preservative protection. The colorant is an ideal enhancement for decking, railing, structural deck components, playgrounds, and other backyard projects.

How does it work?

- Colorant is added during our treating process, and can last up to two full seasons.
- Eliminates the need to initially stain or paint the finished project
- Color slowly weathers to a warmer, fuller hue and then to natural silver gray



Job Lot Program

Size	Length	Unit Size	Description
5/4x6	12'	96 & 120	Brown Standard SYP Decking
5/4x6	16'	96 & 120	Brown Standard SYP Decking
2x2	42'	8 pc pack	Brown Select
2x2	8'	448/unit	Brown Select
2x4	12'	104/unit	Brown Appearance/#1
2x4	16'	104/unit	Brown Appearance/#1
2x6	12'	64/unit	Brown Appearance/#1
2x6	16'	64/unit	Brown Appearance/#1
2x8	12'	48/unit	Brown Appearance/#1
2x8	16'	48/unit	Brown Appearance/#1
2x10	12'	40/unit	Brown Appearance/#1
2x10	16'	40/unit	Brown Appearance/#1
2x12	12'	32/unit	Brown Appearance/#1
2x12	16'	32/unit	Brown Appearance/#1
4x4	8'	39/unit	Brown Eased Edge
4x4	10'	39/unit	Brown Eased Edge
4x4	12'	39/unit	Brown Eased Edge

Laminated **Veneer** Lumber

All products are made from **High-Quality Lodgepole Pine**, a species known for its tight growth rings, small knots and minimal shrinking and swelling. This means you get a strong, stable product that outpaces most of the 2.0e available in North America. Plus, you get the CSD iStruct tool, a state of the art layout, design, and structural analysis enterprise solution that combines layout/drafting, single member design, reporting, and an incredible real time 3D experience. West Fraser LVL distributed by Parksite is the complete package.



High-quality material



Superior strength and workability



Supports heavier loads and allows greater spans



Sealed, face, back and edges for improved performance



Ecofriendly



Limited Lifetime Warranty



For use as beams, headers and column applications in residential floor and roof systems.

SIZES

3,000Fb 1.8E

- 1-1/2" x 11-7/8"
- 1-1/2" x 5-1/2"

In select lengths

3100fb-2.0E Sizes

- 1-3/4" x 9-1/2"
- 1-3/4" x 11-7/8"
- 1-3/4" x 14"
- 1-3/4" x 16"
- 1-3/4" x 18"

Lengths up to 52'

Millwork

Therma-Tru® Doors

- Fiberglass
- Steel
- Commodity
- Decorative Glass

Lynden Doors

- Columbia 6-Panel Smooth in Hollow and Solid Core
- Rosario 2-Panel Arch Hollow Core
- Kingston 2-Panel Square Top in Hollow or Solid Core
- Yarrow 3-Panel in Hollow or Solid Core
- Whitman 2-Panel Smooth in Hollow or Solid Core

Frontline

- Metal Clad
- Pre-Clad Patio Frames
- Garage Door Clad

Mouldings

- Primed MDF

Door Pre-finishing (on-site)

- Fiberglass stain and paint
- Steel paint

Specialties

Aristokraft® Cabinetry

Woodland Cabinetry

Cabinetry by Diamond®

Cabinetry by Decora®

Fypon Products

- Special Order Decorative Products

VERSATEX®

- Cellular PVC Trim and Column Wraps
- Canvas Series Woodgran Finish Laminate PVC

Tando™ Building Products

- TandoShake™ and TandoStone™ Siding

Regal Ideas

- Aluminum Deck Railing
- Glass Railing
- LED Lighting
- Crystal Rail

Particleboard Shelving & Stepping

WindsorONE®

- Trim Boards
- Classic American Moldings

Decorators® Decking

- Trailhead & Vista Wood Plastic Composite Deck boards
- Voyage Mineral Based Composite Deck boards
- Picture Frame boards
- ALX Contemporary Railing
- Fasteners

Softwood Commodities

- Dimensional Lumber
- Studs
- Sheathing Plywood
- Sanded Plywood
- Engineered Wood: LVL

Pressure Treated Lumber

- Dimension
- Decking
- Posts

Also available in Tanatone® Brown

- Permanent Wood Foundation Timbers
- Permanent Wood Foundation Dimension
- Plywood

Industrial Products

- Melamine
- Industrial Particle Board
- Hardwood Plywood

DuPont Tyvek Weatherization System

- Tyvek® HomeWrap®
- Tyvek® Commercial Wrap®
- Tyvek® StuccoWrap®
- Tyvek® DrainWrap™
- Tyvek® ThermaWrap™ LE
- DuPont™ FlexWrap™
- DuPont™ FlexWrap™ EZ
- DuPont™ Tyvek® Fluid Applied WB+
- DuPont™ StraightFlash™
- DuPont™ StraightFlash™ VF
- DuPont™ Flashing Tape
- DuPont™ Tyvek® Tape
- DuPont™ Tyvek® Wrap Caps
- DuPont™ Weatherization Sealant
- DuPont™ Tyvek® Protec™
- DuPont™ Tyvek® Roof Protector™
- DuPont™ Tyvek® Drainvent™ Rainscreen

Specialty Weatherization Products

Stinger

- Stinger Cap Staple
- Stinger Cap Staplers
- Stinger Pneumatic Staple

Tower Sealants

- Tower Tech² Sealant

Scan for our full-line catalog!



or visit: <https://go.parksite.com/LBMCAT-ND>



Baltimore, MD | Bolingbrook, IL | E. Windsor, CT | **Fargo, ND** | Garner, NC | Lakeland, FL | Louisville, OH | N. Brunswick, NJ | Syracuse, NY

For more information call: (800) 279-2324

www.parksite.com

All statements made on or in goods, labels, brochures, advertising and specifications are made solely by the product manufacturers, and not by Parksite, and Parksite does not endorse or approve of those statements. Parksite expressly disclaims all express or implied warranties, including but not limited to any implied warranties of merchantability, fitness for a particular purpose or freedom from infringement.